

FLANGE PRENSADA - PRESS LOSE FLANGE -

Qualidade/

Quality:

AISI 304L / 1.4307

AISI 316L / 1.4404

Normas/Norm:

FLANGE ASTM A182 EN 1092-1 05A

Nota/Info:

Forjado | Obtained by forging

Dimensões/Availability:

DN 15 - DN 600

outras dimensões sobre consulta

more dimensions available on demand.



DN	PN	D	K	B	H	HOLES
15	10/16/40	95	65	16	14	4
20	10/16/40	105	75	18	14	4
25	10/16/40	115	85	18	14	4
32	10/16/40	140	100	18	18	4
40	10/16/40	150	110	18	18	4
50	10/16	165	125	18	18	4
65	10/16	185	145	18	18	8
80	10/16	200	160	20	18	8
100	10/16	220	180	20	18	8
125	10/16	250	210	22	18	8
150	10/16	285	240	22	22	8
200	10	340	295	24	22	8
250	10	395	350	26	22	12
300	10	445	400	26	22	12
350	10	505	460	26	22	16
400	10	565	515	26	26	16
450	10	615	565	28	26	20
500	10	670	620	28	26	20
600	10	780	725	34	30	20

FLANGES