

FLANGES
Lap-Joint
ANSI 150 LBS
ANSI 300 LBS

V[®]
VALSTEEL
INOX E COMPONENTES INDUSTRIAIS, LDA



FLANGE INOX LAP-JOINT - ANSI 150 LBS

STAINLESS STEEL LAP-JOINT FLANGE - ANSI 150 LBS

Qualidade/Quality:

304/304L (1.4301/1.4307)
321/321H (1.4541)
316/316L (1.4401/1.4404)
316Ti (1.4571)
904L (1.4539)
(Super)Duplex
Nickel Alloys

Normas/Norm:


FLANGE ASTM A182 - ASME B16.5 - 150 LBS

Nota/Info:

Forjado | Obtained by forging

Dimensões/Availability:

Inch 1/2" - Inch 24"
outras dimensões sobre consulta
more dimensions available on demand.



As medidas abaixo referidas estão sujeitas a confirmação pela Valsteel

Pulg.	D	K	B	H	A	r	L	Peso kg
1/2"	90	60,3	11,2	16	30	3	15,88	0,51
3/4"	100	69,9	12,7	16	38	3	15,88	0,64
1"	110	79,4	14,3	17	49	3	15,88	0,93
1 1/4"	115	88,9	15,9	21	59	5	15,88	1,16
1 1/2"	125	98,4	17,5	22	65	6	15,88	1,51
2"	150	120,7	19,1	25	78	8	19,05	2,38
2 1/2"	180	139,7	22,3	29	90	8	19,05	3,60
3"	190	152,4	23,9	30	108	10	19,05	4,04
3 1/2"	215	177,8	23,9	32	122	10	19,05	4,99
4"	230	190,5	23,9	33	135	11	19,05	5,96
5"	255	215,9	23,9	36	164	11	22,23	6,44
6"	280	241,3	25,4	40	192	13	22,23	7,59
8"	345	298,5	28,6	44	246	13	22,23	12,66
10"	405	362,0	30,2	49	305	13	25,40	16,78
12"	485	431,8	31,8	56	365	13	25,40	28,30
14"	535	476,3	35,0	79	400	13	28,58	41,50
16"	595	539,8	36,6	87	457	13	28,58	52,98
18"	635	577,9	39,7	97	505	13	31,75	59,00
20"	700	635,0	42,9	103	559	13	31,75	72,12
24"	815	749,3	47,7	111	663	13	34,93	99,02



Visite nosso site para obter
uma visão geral completa:

Valsteel.pt



Morada:

Sede e armazém

Rua das Lages 544/552

4410-312 Canelas - Vila Nova de Gaia - PORTUGAL



+ 351 227 320 510



comercial@valsteel.pt

FLANGE INOX LAP-JOINT - ANSI 150 LBS



FLANGE INOX LAP-JOINT - ANSI 300 LBS

STAINLESS STEEL LAP-JOINT FLANGE - ANSI 300 LBS

Qualidade/Quality:

304/304L (1.4301/1.4307)
321/321H (1.4541)
316/316L (1.4401/1.4404)
316Ti (1.4571)
904L (1.4539)
(Super)Duplex
Nickel Alloys

Normas/Norm:


FLANGE ASTM A182 - ASME B16.5 - 300 LBS

Nota/Info:

Forjado | Obtained by forging

Dimensões/Availability:

Inch 1/2" - Inch 24"
outras dimensões sobre consulta
more dimensions available on demand.



As medidas abaixo referidas estão sujeitas a confirmação pela Valsteel

Pulg.	D	K	B	H	A	r	L	Peso kg
1/2"	95	66,7	14,3	22	38	3	15,88	0,61
3/4"	115	82,6	15,9	25	48	3	19,05	1,15
1"	125	88,9	17,5	27	54	3	19,05	1,38
1 1/4"	135	98,4	19,1	27	64	5	19,05	1,66
1 1/2"	155	114,3	20,7	30	70	6	22,23	2,52
2"	165	127,0	22,3	33	84	8	19,05	2,79
2 1/2"	190	149,2	25,4	38	100	8	22,23	4,22
3"	210	168,3	28,6	43	117	10	22,23	5,78
3 1/2"	230	184,2	30,2	44	133	10	22,23	7,72
4"	255	200,0	31,8	48	146	11	22,23	10,07
5"	280	235,0	35,0	51	178	11	22,23	12,52
6"	320	269,9	36,6	52	206	13	22,23	15,95
8"	380	330,2	41,3	62	260	13	25,40	24,37
10"	445	387,4	47,7	95	321	13	28,58	39,92
12"	520	450,8	50,8	102	375	13	31,75	58,70
14"	585	514,4	54,0	111	425	13	31,75	83,46
16"	650	571,5	57,2	121	483	13	34,93	106,14
18"	710	628,6	60,4	130	533	13	34,93	133,95
20"	775	685,8	63,5	140	587	13	34,93	157,65
24"	915	812,8	69,9	152	702	13	41,28	240,40



Visite nosso site para obter
uma visão geral completa:

Valsteel.pt



Morada:

Sede e armazém

Rua das Lages 544/552

4410-312 Canelas - Vila Nova de Gaia - PORTUGAL



+ 351 227 320 510



comercial@valsteel.pt

FLANGE INOX LAP-JOINT - ANSI 300 LBS